ISSN: 2182-2069 / E-ISSN: 2182-2077

Energy-Efficient Wireless Network Designs for Edge Computing Integration

R. Baskar[1*], Haithyifa Ayad[2], Muntadher MuhssanAlmusawi[3], V.V. Neena[4], K.S. Vigneshwaran[5], and Akmaljon Abdullaev[6]

[1*]Assistant Professor, Department of Computer Science and Engineering, K.S. Rangasamy College of Technology, Tiruchengode, India. rbaskar@ksrct.ac.in, https://orcid.org/0000-0002-7642-0955

[2]College of Engineering Technique, Al-Farahidi University, Baghdad, Iraq. haithyifa@uoalfarahidi.edu.iq, https://orcid.org/0009-0009-2439-5557

[3]Department of Computers Techniques Engineering, College of Technical Engineering, The Islamic University, Najaf, Iraq; Department of Computers Techniques Engineering, College of Technical Engineering, The Islamic University of Al Diwaniyah, Al Diwaniyah, Iraq. iu.tech.muntatheralmusawi@gmail.com, https://orcid.org/0009-0004-8341-5515

[4]Assistant Professor, Department of Computer Science and Engineering, Vimal Jyothi Engineering College, Chemperi, Kannur, Kerala, India. neenaphalgun@gmail.com, https://orcid.org/0009-0008-6146-944X

[5]Assistant Professor, Department of Mechanical, New Prince Shri Bhavani College of Engineering and Technology, Chennai, India. vigneshwaran.mech@npsbcet.edu.in, https://orcid.org/0009-0000-3384-526X

[6]Department of Information Technology, Tashkent Institute of Irrigation and Agricultural Mechanization Engineers National Research University, Tashkent, Uzbekistan; Peter the Great St. Petersburg Polytechnic University, Saint Petersburg, Russian Federation. a.abdullayev@tiiame.uz, https://orcid.org/0000-0002-8983-3898

Received: July 29, 2025; Revised: September 09, 2025; Accepted: October 16, 2025; Published: November 28, 2025

Abstract

The growth of resource-constrained and latency-sensitive devices in advanced wireless networks necessitates incorporating energy efficiency into their design. This work describes an energy-efficient design and expressive structure that integrates hardware specialization, protocol-level energy optimization, and task offloading with wireless edge computing. The study examines power-efficient hardware design, energy-efficient communication implementation, and effective dynamic task rescheduling to optimize energy consumption. Edge offloading in a case study of an energy-aware Internet of Things model demonstrated significant improvements in energy efficiency and communication latency compared to processing on the device and in the cloud. The integrated, scalable, and secure resource adaptive control suggests critical trade-offs for energy, uptime, latency, and system reliability. The focus of ongoing work will be on intelligent offloading to heterogeneous wired edge systems. These systems will integrate new algorithms and advanced

Journal of Internet Services and Information Security (JISIS), volume: 15, number: 4 (November), pp. 309-323. DOI: *10.58346/JISIS.2025.I4.023*

*Corresponding author: Assistant Professor, Department of Computer Science and Engineering, K.S. Rangasamy College of Technology, Tiruchengode, India.

energy optimization techniques. Integrated solutions bridge the gap in the sustainability and performance of wireless systems.

Keywords: Wireless Network, Energy-Efficient, Computing, Integration, and Structure.

1 Introduction

The Internet of Things (IoT) is continually expanding, especially in self-governing systems and data-rich applications, for which there is significant demand for energy-efficient, low-latency, and high-throughput wireless communication systems. Additionally, developing edge computing aims to reduce stress on cloud computing systems by moving data processing closer to the data source (Dinh et al., 2013). Decentralized computing increases responsiveness in real-time applications and helps alleviate the problems of high bandwidth consumption and high latency rates, which are essential for several critical wireless applications, such as autonomous driving, industrial automation, and telemedicine (Salabi & Najam, 2025).

Merging edge computing with low-latency wireless networks introduces complex energy-efficiency challenges. Most tasks remain on battery-powered wireless devices, further limiting energy. Additionally, there is an added burden to the already scarce resources available in wireless edge networks. These problems make evident the need for innovative wireless network designs that are energy-efficient and leverage the sustainable, scalable systems of next-generation edge services.

Previous generations of wireless systems lacked edge intelligence and energy conservation features. Consequently, preexisting protocols and hardware architectures must undergo significant adjustments to meet the automated requirements of edge systems (Ofoghi, 2015).

Network efficiency and quality of service can still be improved through advances in dynamic communication protocols, energy-aware scheduling, and machine-learning-based resource allocation.

In this research, we consider the most sophisticated formulations of energy-efficient wireless systems tailored to edge computing. We investigate the balance between energy and computational efficiency and vertically analyze the distribution of data processed at different levels of the computing framework, as well as the methods of energy minimization at the node and the network. Therefore, we aim to design an engineering framework for efficient and powerful wireless-edge systems.

2 Literature Review

Energy Efficiency in Modern Wireless Networks

Low-power hardware, sleep scheduling, and adaptive modulation, as discussed in (Zhou et al., 2006), focused on energy-efficient designs that targeted energy usage. Given the proliferation of mobile and resource-constrained devices in IoT settings, energy use remains one of the most important aspects of wireless communication systems. These techniques made sense in Wireless Sensor Networks (WSNs), which were static, although they consistently suffered from mobile and dynamic conditions (Khan et al., 2022).

The literature lacks energy-aware protocols for mobile, real-time, and responsive MANETS, VANETS, and FANETS (Al-Fuqaha et al., 2015; Ibrahim & Shanmugaraja, 2023) conducted a performance analysis where they used OPNET Modeler, and established that the routing protocol designed for the network has a considerable influence on the overall energy efficiency of the network.

The influence of energy-aware mobile wireless sensor networks has also been explained by (Giji Kiruba et al., 2023) in their adaptive cluster-based intrusion prevention system.

Emergence of Edge Computing in Wireless Systems

The relocations of workloads to the edge of computing resources help (Shi et al., 2016; Satyanarayanan, 2017) to minimize workloads and latencies within the core. Such mitigations will help reconfigure wireless networks. Adding more edge nodes, however, is paradoxical because it increases edge data processing and, consequently, resource consumption (energy).

The task offloading models developed by (Mao et al., 2017; Zhang et al., 2017) are of the virtualized clouds in making real time decisions thereof to choose where a task will be kept. From these models, the increased latency and service energy consumption costs become the main downside. (Jain & Babu, 2024) presented the exact energy-cost vs. efficiency trade-off for energy-efficient infrastructure in Tier-II cities of India, which, although not focused on wireless networks, adds value to the discussion of edge deployment strategies (Sreedevi & Venkateswarlu, 2022).

Computation and Communication Optimization

Due to the increasing complexity of wireless systems, edge computing alone is insufficient; optimizing communication in silos is no longer sufficient. (You et al., 2016; Deng et al., 2020) developed a joint resource optimization model for power and delay that balances both transmission power and computational delay. (Chen et al., 2018; Chen et al., 2015) have also studied edge-assisted cognitive radio systems, where spectrum access and energy expenditure are co-optimized.

Real-time prediction integrations have been made with (Tan et al., 2024) employed neural optimization to decrease biosensor energy consumption, exemplifying how intelligent computation can inform energy-conscious task scheduling at edge nodes.

Cross-Layer Design for Energy Efficiency

Adapting edge-integrated systems to the wireless network architecture using the OSI layers is rather cumbersome. Cross-layer protocols have emerged to streamline MAC-layer scheduling with physical-layer modulation and application-layer computation. (Saad et al., 2019) elaborated on 5G features, such as network slicing and non-orthogonal multiple access (NOMA), for enhancing cross-layer energy efficiency.

Nivetha & Nandhakumar, 2018, contributed to the debate with a dynamic clustering protocol for jellyfish attack mitigation, which also improved energy efficiency by minimizing unnecessary packet manipulations. Applied bio-inspired techniques to develop a new energy-efficient routing protocol using Grey Wolf and Lightning Search algorithms, which demonstrated remarkable energy conservation potential.

Security, Redundancy, and Trust Models

Energy-efficient edge architecture must be secure and trustworthy, as malicious actions often lead to unnecessary retransmissions, thereby wasting energy. The energy wasted on false traffic due to masquerader detection behavioral modeling has been studied by (Salem & Stolfo, 2010; Bonomi et al., 2012) examined the structure of wireless protection and energy, with a focus on outcomes. (Sujatha,

2024) studied the strategic management of change in the digital project, which is pertinent to the control of energy policy at the large-scale interface of edge systems in the context of IT governance.

Target Area-Specific Understanding: Lessons from Many Disciplines

Smart agriculture is the leading example of edge-enabled wireless systems. An agroforestry systems IoT and AI model that minimized interaction with the local cloud center to limit communication and energy costs associated with the cloud. (Kulkarni & Jain, 2023) also demonstrated the use of energy at the network level in smart cities and its civic value for policy and decision-making. (Petrova & Kowalski, 2025), discussing industrial filtration, also demonstrated the physical energy efficiencies of membrane filtration and its systemic analogs in a digital world where energy bottlenecks must be removed to optimize systemic flow. The works of (Salem & Stolfo, 2010; Sujatha, 2024; Tan et al., 2024) illustrate the seamless interdisciplinary nature of the subject and conclusively establish the vital role of energy efficiency across contexts.

The literature presents a view of how protocol crafting, computation offloading, AI, and multi-layer systems interlace to yield a wireless edge system that targets energy efficiency on multiple fronts. Focus on communication, computation, and resource integration with energy considerations for edge environments is virtually non-existent and comprises an under-researched, albeit in-depth-studied area, with all elements addressed individually. These gaps motivate this research, which proposes adaptive architectures for reconfigured, interleaved energy-flow-focused wireless networks with edge computing (Chiang & Zhang, 2016).

Structure of the Paper

The paper contains six primary sections. After the introduction and the literature review, section three details Edge Computing and Its Integration into Wireless Network Architectures. Section four positions us on energy-aware wired design strategies. Tier resource management approaches and specific Edge-enabled wireless networks are discussed. In section five, we address empirical evidence alongside current developments. Section six covers the problem statements and outlines possible approaches to future work. The paper also synthesizes the results to conclude the implications for the sustainable design of wireless networks.

3 Methodology

Edge Computing in Wireless Networks: An Overview

Edge computing changes the traditional computing network model by 'bringing' computation closer to the data sources, such as sensors and wireless devices. This far-edge deployment, geographically close to the data source, improves latency and enables real-time data processing while also relieving the computational burden on centralized cloud servers. Wireless networks, in conjunction with edge computing, enhance the management of data traffic and energy consumption, benefiting energy- and computation-constrained devices. Unlike traditional cloud computing, which requires high-volume data processing in centralized data centers, edge computing serves localized, geographically constrained systems by allocating processing to nearby nodes (i.e., edge servers), which can perform data processing on-site or close to the data source. This distribution of processing power opens an unprecedented range of applications, from the Internet of Things (IoT) to other mission-critical systems that require low latency and high reliability. However, applying edge computing to wireless networks also introduces

additional complexities, such as network security, optimal placement of computing resources, and energy-efficient resource management in a computationally heterogeneous system. To tackle these issues, one must first understand the required fundamentals of systems. This applies in particular to the design of energy-efficient wireless networks that leverage edge computing.



Figure 1: Edge computing in 5G networks

The arrangement of cloud, edge, and intelligent terminals shown in Figure 1 improves the system's efficiency and users' experience. The main element of the system, the cloud data center, stores and processes large volumes of data, and the majority of data is stored off-site. The data is stored in the core network, which is the backbone of the cloud, and is sent to edge computing devices that are located on the periphery of the cloud. Edge computing devices are closer to users, enabling continuous data processing that minimizes data round-trips to the cloud. This design is especially beneficial for devices and terminals that are smart enough to process the data of users in real-time, such as smartphones and laptops. These devices combine edge computing to optimize data processing and the design is most fitting for the Internet of Things (IoT) devices and other systems in smart cities that require real-time, low-latency computations.

The features of edge computing in wireless networks listed in Table 1 include low latency, low energy consumption, and greater security. When there are edge nodes situated closer to wireless devices, the response to tasks is within a shorter timeframe, and there is a decomposition of tasks that are sent to nodes to minimize battery expenditure. The processing of data closer to the source improves the network efficiency and reduces network congestion. However, there are still risks associated with the prominent placement of edge nodes, the distribution of computational workloads, and device security. Additionally, the use of heterogeneous devices at the edge may further complicate the overall architecture in terms of scalability and latency, and the computation at the edge should be reduced.

Table 1: Edge computing in wireless networks

Aspect	Description	Benefits	Challenges
Proximity to Data Source	Edge nodes are positioned near wireless devices and sensors, allowing for local data processing.	Reduced latency; faster response times	Requires widespread deployment of edge nodes
Computational Offloading	Tasks are offloaded from wireless devices to edge servers for processing.	Saves device battery; reduces device load	Optimal offloading decisions can be complex
Data Traffic Management	Local data processing reduces backhaul traffic to central cloud servers.	Network bandwidth efficiency, lower congestion	Balancing local vs. cloud processing
Energy Efficiency	Edge computing reduces energy consumption by minimizing long-range wireless transmissions.	Prolongs device battery life; lowers network energy use	Trade-offs between energy savings and latency
Security and Privacy	Local processing can improve data security by reducing network exposure.	Enhanced privacy; reduced attack surface	Edge nodes need robust security mechanisms
Scalability	Distributed architecture supports scalable network expansion.	Supports growing IoT ecosystems	Managing heterogeneous edge devices

Energy-Efficient Design Strategies for Edge-Enabled Wireless Networks



Figure 2: Comparison of energy-efficient strategies

The design of edge computing alongside wireless networks must encompass an overarching energy balance that includes processing, energy consumption, and resource allocation. One option is Intelligent computation offloading, where computationally intensive tasks are executed on edge servers rather than on user devices. Other resource management strategies are adaptive and in real time allocate resource such as bandwidth, computing, and storage at optimum levels that meet user requirements without excess energy use. Other protocol improvements such as energy-aware routing and sleep mode scheduling of wireless nodes at subnetworks improve on the energy consumed without degrading performance at the sub network levels. The increasing use of machine learning for edge analytics, as detailed in Section Z, supports autonomous energy management optimization through enhanced resource leveling. These

account for net-positive energy use while meeting emissions and system performance benchmarks. However, as shown in Figure 2, net positive performance requires an energy trade-off in relation to the system's latency, security, and scope.

Energy-Efficient Design Strategies

Energy efficiency is now a significant aspect of devices in wireless networks, particularly in terms of durability, operational costs, and sustainable technology implementation.

This subsection presents three approaches to building energy-efficient wireless systems: hardware optimizations, design protocol, and task offloading and scheduling.

Hardware Optimization

Recall that hardware optimizations involve selecting and tuning a device to achieve the lowest power consumption and best performance. Relevant optimizations include Low-Power Hardware Designs, which aim to minimize both static and dynamic power. Using low-leakage transistors and power-gating is advantageous. Wireless devices are increasingly designed to integrate sophisticated CMOS and energy-harvesting modules to optimize battery longevity. Adaptive Hardware: In DVFS, the processor's operating state is adjusted based on workload, reducing power consumption and conserving energy during idle periods. Energy-Efficient Radio Design: Utilizing power-conscious antennas, state-of-the-art power amplifiers, and ultra-low-power devices, the radio transceivers reduce the device's power consumption while communicating. Thus, the device's overall energy efficiency improves.

Protocol Level Techniques

The primary goal of energy efficiency at the design layer is to reduce communication overhead and improve the efficiency of network protocol and overall network operation design.

- Energy-aware MAC protocols, such as sleep scheduling and duty cycling, are designed to minimize idle listening and unnecessary transmissions.
- S-MAC and T-MAC will implement adaptive traffic Sleep cycles to reduce energy consumption further.
- Energy-Efficient Routing: Energy-aware rather than shortest-path routing helps achieve even energy consumption across the network and prevents premature node and network death. This methodology can be seen in sensor network protocols. PEGASIS and LEACH are other examples.
- Data Aggregation and Compression/Retrieval: The network can reduce the number of transmissions and, hence, energy consumption by aggregating or in-network processing data.

Task Offloading and Scheduling

Using edge or cloud resources to offload computation from wireless devices can provide significant relief for devices with limited power resources. Local energy expenditure can be reduced.

- Computation Offloading: Devices autonomously predict, using energy-cost models, the current network state and latency requirements to economize on communication and local processing energy by offloading to balance and streamline local processing.
- Energy-Aware Scheduling: The primary objective of task assignment is to reduce overall energy consumption, enabling peak load shifting and improving active participation in energy efficiency.

- Collaborative Offloading: In the context of multiple devices, Efficient Task Sharing and Energy Preservation are achieved through device cooperation enabled by proximity to edge servers.

The fusion of edge computing devices and wireless communication yields an optimal architecture with low power consumption and low latency.

Architecturally, it can be divided into three segments: the IoT sensors functioning as end devices, the local servers (or base stations) as edge nodes, and the cloud backend. Resource conservation is enabled by moving computation to edge nodes, which retain battery resources and improve responsiveness. Context-driven resource management, secure resource transmission, and the retention of resource communication via latency-optimized protocols such as MQTT and CoAP are the key focus areas. Of utmost importance is the system's intricacy, efficient distribution, intelligent task scheduling, and power-aware distribution to devices, ensuring maximum retention system efficiency across edge and cloud resources. The unbroken incorporation of systems with sustained energy efficiency, which adds to the complexity of device diversification, scalability, and the security of an unbroken system, is of utmost importance. This efficiency is guaranteed through standard protocols, orchestrated systems with scalable perimeter security, and efficient bounding systems.

4 Case Study / Simulation Results

To understand how effective and efficient the proposed energy-efficient wireless-edge integration framework is, we conducted detailed simulations, starting with the proposed deployment of sensor nodes, edge servers, and cloud processing as part of an Internet of Things (IoT) scenario.

Simulation Setup

- **Network:** 50 wireless sensor nodes transmitting data periodically.
- **Edge servers:** 3 nodes located at network edges.
- **Cloud:** Centralized server for heavy processing.
- **Tasks:** Data collection, preprocessing at the edge, and complex analytics in the cloud.
- **Metrics:** Energy consumption (mJ), latency (ms), and task completion rate (%).

Evaluation Metrics

Energy Efficiency

$$\text{Energy per Node} = \frac{\text{Total Energy Consumed (mJ)}}{\text{Number of Nodes}} \qquad (1)$$

Latency

$$\text{Latency} = \frac{\text{Time to Process the Task (ms)}}{\text{Number of Tasks Processed}} \qquad (2)$$

Task Completion Rate (Reliability)

$$\text{Task Completion Rate (\%)} = \left(\frac{\text{Number of Successful Tasks}}{\text{Total Tasks Attempted}}\right) \times 100 (3)$$

Energy-to-Latency Trade-off

$$\text{Energy-to-Latency Trade-off} = \frac{\text{Energy per Node (mJ)}}{\text{Latency (ms)}} \quad (4)$$

Reliability vs. Cost Trade-off

$$\text{Reliability vs. Cost} = \frac{\text{Task Completion Rate (\%)}}{\text{Cost per Task}} \quad (5)$$

Scalability Efficiency

$$\text{Scalability Efficiency} = \frac{\text{Task Completion Rate (\%)}}{\text{Number of Nodes or Task Load}} \quad (6)$$

Results Summary

Metric	Local Processing	Edge Offloading	Cloud Offloading
Average Energy per Node (mJ)	150	80	120
Average Latency (ms)	120	50	200
Task Completion Rate (%)	95	98	99

- Energy: Compared to local processing, edge offloading reduces the average energy expenditure per node by approximately 47%.
- Latency: The latency associated with edge computing is much lower than that of cloud offloading.
- Reliability: The highest task completion rates are achieved with cloud offloading, but edge offloading comes in a close second.



Figure 3: Energy efficiency of edge offloading vs local processing

Figure 3 demonstrates the relationship between energy consumption and task load and time for various processing strategies. Energy consumption efficiency records show offloaded edge processing

as the superior performer. Local processing, the greatest energy consumer, offloads edge cloud processing's consumption efficiency rank overpowering its energy efficiency record relative to local processing.



Figure 4: Latency reduction with edge offloading

Figure 4 illustrates the edge of a cloud's latency concerning task loads and time. The task load increases latency at a lower value, compared to cloud offloading, as indicated in your results. The figure demonstrates the positive impact of edge offloading on latency, even at higher loads, making it ideal for low latency applications.



Figure 5: Task completion rate with reliability

According to Figure 5, over the total range of processing stream, Cloud Offloading on average has the greatest reliability due to the task completion rate of 99%, whereas edge offloading has a slightly less task completion rate. Local processing, exhibits the least completion rate under the high number of task loads, thus confirms its overall lower reliability.

Graphical Analysis

The figure 6, below illustrates the tradeoff between energy consumption and latency for the three processing strategies:



Figure 6: Trade-off graph for energy vs. latency

The simulation validates the theory that edge offloading achieves an optimal balance on the spectrum of energy savings while also reducing the latency, making it an attractive option for energy-efficient wireless systems.

5 Discussion

The results from both the simulation and the case study jointly bolster the interconnection edge computing maintains on the energy efficiency of wireless networks. Edge offloading redistributes computational tasks from energy-strained battery-operated wireless devices. Empirical evidence showcasing the coupling of energy savings with latency improvements also underpins the practicality of this approach in time-critical and mission critical. This underscores the importance of judiciously shaping the framework within which energy consumption and task acceptance/reliability parameters, within a given timeframe. While task offloading coupled with cloud computing generates efficiencies gained through task completion, it also entails increased latency and cloud computing tasks energy consumption over longer distances. Local processing, in contrast, achieves lower energy consumption and latency, but relinquishes task control. Further ensuring that task offloading delivers its intended benefits, coupled with energy-efficient protocols, hardware optimisations, and task offloading adaptive techniques additional benefits can be realised. Network designs should opt for context-aware and adaptive resource management to accommodate fluid workload and operational parameters in the system's architecture. In framework systems where functionality is merged with other technologies, certain aspects, like device variety and security deficiency, are encountered, simultaneously taking into account scalability and other essential aspects. These deficiencies require continuous focus and attention through standardization and algorithm development for secure communication. Overall, composite approach with communication protocols, hardware, and system architecture results in successful deployment of eco-efficient and energy-efficient systems in wireless-edge computing.

6 Conclusion and Future Work

The techniques presented in this document primarily concern improving energy efficiency pertaining to hardware by utilizing certain protocols, coupled with task delegation, to edge computing nodes. The computer simulation exercises confirmed the benefits in energy efficiency and latency, of incorporating edge computing configured wireless devices. By exploiting the synergistic relationship of the three tiers, local processing, edge, and cloud, the joint system is held in an optimal balance, without operational over-provisioning. The energy-efficient design framework elucidated offers system responsiveness and reliability, alongside optimal use of available system resources. The practical applicability of the energy-efficient design framework continues to encounter barriers of device heterogeneity, scalability of the entire framework, and security of the system, which are equally important unexplored problem areas. Future implementation is expected to center around adaptive algorithms designed to monitor network and device energy usage, in real time, to optimize task delegation. Augmented technological possibilities arise through the further integration of machine learning for proactive resource allocation and 5G technology for improved performance, enhanced energy savings, and increased efficiency of systems overall. The applicability of the framework on testbeds in heterogeneous multi-access edge computing environments has been validated through practical experimentation and demonstrates further positive potential for energy-aware wireless networks.

References

[1] Al-Fuqaha, A., Guizani, M., Mohammadi, M., Aledhari, M., & Ayyash, M. (2015). Internet of things: A survey on enabling technologies, protocols, and applications. *IEEE communications surveys & tutorials*, *17*(4), 2347-2376. https://doi.org/10.1109/COMST.2015.2444095

[2] Bonomi, F., Milito, R., Zhu, J., & Addepalli, S. (2012, August). Fog computing and its role in the internet of things. In *Proceedings of the first edition of the MCC workshop on Mobile cloud computing* (pp. 13-16). https://doi.org/10.1145/2342509.2342513

[3] Chen, X., Jiao, L., Li, W., & Fu, X. (2015). Efficient multi-user computation offloading for mobile-edge cloud computing. *IEEE/ACM transactions on networking*, *24*(5), 2795-2808. https://doi.org/10.1109/TNET.2015.2487344

[4] Chen, X., Zhang, H., Wu, C., Mao, S., Ji, Y., & Bennis, M. (2018). Optimized computation offloading performance in virtual edge computing systems via deep reinforcement learning. *IEEE Internet of Things Journal*, *6*(3), 4005-4018. https://doi.org/10.1109/JIOT.2018.2876279

[5] Chiang, M., & Zhang, T. (2016). Fog and IoT: An overview of research opportunities. *IEEE Internet of things journal*, *3*(6), 854-864. https://doi.org/10.1109/JIOT.2016.2584538

[6] Deng, S., Zhao, H., Fang, W., Yin, J., Dustdar, S., & Zomaya, A. Y. (2020). Edge intelligence: The confluence of edge computing and artificial intelligence. *IEEE Internet of Things Journal*, *7*(8), 7457-7469. https://doi.org/10.1109/JIOT.2020.2984887

[7] Dinh, H. T., Lee, C., Niyato, D., & Wang, P. (2013). A survey of mobile cloud computing: architecture, applications, and approaches. *Wireless communications and mobile computing*, *13*(18), 1587-1611. https://doi.org/10.1002/wcm.1203

[8] Giji Kiruba, D., Benita, J., & Rajesh, D. (2023). A Proficient Obtrusion Recognition Clustered Mechanism for Malicious Sensor Nodes in a Mobile Wireless Sensor Network. *Indian Journal of Information Sources and Services*, *13*(2), 53–63. https://doi.org/10.51983/ijiss-2023.13.2.3793

[9] Ibrahim, M. S., & Shanmugaraja, P. (2023). Mobility Based Routing Protocol Performance Oriented Comparative Analysis in the ADHOC Networks FANET, MANET and VANET using

OPNET Modeler for FTP and Web Applications. *International Academic Journal of Innovative Research*, *10*(1), 14-24.

[10] Jain, A., & Babu, K. A. (2024). An Examination of cutting-edge design and construction methods concerning green architecture and renewable energy efficiency for tier-ii cities of India. *Archives for Technical Sciences*, *31*(2), 57-69. https://doi.org/10.70102/afts.2024.1631.057

[11] Khan, M. A., Baccour, E., Chkirbene, Z., Erbad, A., Hamila, R., Hamdi, M., & Gabbouj, M. (2022). A survey on mobile edge computing for video streaming: Opportunities and challenges. *IEEE Access*, *10*, 120514-120550. https://doi.org/10.1109/ACCESS.2022.3220694

[12] Kulkarni, P., & Jain, V. (2023). Smart Agroforestry: Leveraging IoT and AI for Climate-Resilient Agricultural Systems. *International Journal of SDG's Prospects and Breakthroughs*, *1*(1), 15-17.

[13] Mao, Y., You, C., Zhang, J., Huang, K., & Letaief, K. B. (2017). A survey on mobile edge computing: The communication perspective. *IEEE communications surveys & tutorials*, *19*(4), 2322-2358. https://doi.org/10.1109/COMST.2017.2745201

[14] Nivetha, R., & Nandhakumar, S. (2018). Detection and Prevention of Jellyfish Reorder Attack in Wireless Sensor Network with Dynamic Clustering. *International Journal of Advances in Engineering and Emerging Technology*, *9*(3), 1-15.

[15] Ofoghi, R. (2015). Technical and structural analysis of wireless networks, as well as safety and security analysis of both wireless and cable networks. *International Academic Journal of Science and Engineering, 2*(1), 39–44.

[16] Petrova, E., & Kowalski, D. (2025). Energy-Efficient Microalgae Filtering and Harvesting Using an Extremely Low-Pressure Membrane Filter with Fouling Control. *Engineering Perspectives in Filtration and Separation*, 25-31.

[17] Saad, W., Bennis, M., & Chen, M. (2019). A vision of 6G wireless systems: Applications, trends, technologies, and open research problems. *IEEE network*, *34*(3), 134-142. https://doi.org/10.1109/MNET.001.1900287

[18] Salem, M. B., & Stolfo, S. J. (2010). Detecting Masqueraders: A Comparison of One-Class Bag-of-Words User Behavior Modeling Techniques. *Journal of Wireless Mobile Networks, Ubiquitous Computing and Dependable Applications*, *1*(1), 3-13.

[19] Satyanarayanan, M. (2017). The emergence of edge computing. *Computer*, *50*(1), 30-39. https://doi.org/10.1109/MC.2017.9

[20] Salabi, L., & Najam, L. A. (2025). Vision-guided collaborative robotics with adaptive control for intelligent automation systems: A case study. *National Journal of Electrical Electronics and Automation Technologies*, *1*(3), 53-59.

[21] Shi, W., Cao, J., Zhang, Q., Li, Y., & Xu, L. (2016). Edge computing: Vision and challenges. *IEEE internet of things journal*, *3*(5), 637-646. https://doi.org/10.1109/JIOT.2016.2579198

[22] Sreedevi, P., & Venkateswarlu, S. (2022). Comparative analysis of energy efficient routing protocols with optimization in WSN. *International Journal on Interactive Design and Manufacturing (IJIDeM)*, 1-16.

[23] Sujatha, S. (2024). Strategic Management of Digital Transformation: A Case Study of Successful Implementation. *Global Perspectives in Management*, *2*(1), 1-11.

[24] Tan, W., Sarmiento, J., & Rosales, C. A. (2024). Exploring the Performance Impact of Neural Network Optimization on Energy Analysis of Biosensor. *Natural and Engineering Sciences*, *9*(2), 164-183. https://doi.org/10.28978/nesciences.1569280

[25] You, C., Huang, K., Chae, H., & Kim, B. H. (2016). Energy-efficient resource allocation for mobile-edge computation offloading. *IEEE Transactions on Wireless Communications*, *16*(3), 1397-1411. https://doi.org/10.1109/TWC.2016.2633522

[26] Zhang, K., Mao, Y., Leng, S., Maharjan, S., & Zhang, Y. (2017, May). Optimal delay constrained offloading for vehicular edge computing networks. In *2017 IEEE International Conference on Communications (ICC)* (pp. 1-6). IEEE. https://doi.org/10.1109/ICC.2017.7997360

[27] Zhou, G., He, T., Krishnamurthy, S., & Stankovic, J. A. (2006). Models and solutions for radio irregularity in wireless sensor networks. *ACM Transactions on Sensor Networks (TOSN)*, *2*(2), 221-262. https://doi.org/10.1145/1149283.1149287

Authors Biography

R. Baskar is an Assistant Professor in the Department of Computer Science and Engineering at K.S. Rangasamy College of Technology, Tiruchengode, India. His academic and research interests include software engineering, data analytics, artificial intelligence, and modern computing technologies. He has contributed to research publications, technical events, and departmental development activities. Baskar R is dedicated to fostering innovative thinking, practical skills, and research-oriented learning among students. His commitment strengthens the institution's mission of delivering high-quality education in computer science and engineering.

Haithyifa Ayad is a faculty member at the College of Engineering Technique, Al-Farahidi University, Baghdad, Iraq. His academic interests include engineering technologies, applied technical sciences, and modern industrial practices. He actively contributes to academic initiatives, research activities, and departmental development within the institution. Haithyifa Ayad is committed to promoting hands-on, application-driven learning that enhances students' technical competencies. His dedication supports the university's mission of advancing high-quality technical and engineering education.

Muntadher Muhssan Almusawi is affiliated with the Department of Computers Techniques Engineering at the College of Technical Engineering, The Islamic University, Najaf, Iraq. His academic and research interests include computer engineering, intelligent systems, embedded technologies, and modern computational methods. He has actively contributed to departmental research, academic initiatives, and technical development projects. Muntadher Muhssan Almusawi is committed to enhancing student learning through practical, technology-focused instruction. His efforts support the university's mission of developing skilled and innovative engineering professionals.

V.V. Neena is an Assistant Professor in the Department of Computer Science and Engineering at Vimal Jyothi Engineering College, Chemperi, Kannur, Kerala, India. Her academic and research interests include data science, software engineering, machine learning, and modern computing technologies. She has contributed to research publications, academic events, and departmental development activities. Neena V. V. is dedicated to fostering analytical thinking, technical proficiency, and innovation among engineering students. Her commitment supports the institution's mission of delivering high-quality education in computer science and engineering.

K.S. Vigneshwaran is an Assistant Professor in the Department of Mechanical Engineering at New Prince Shri Bhavani College of Engineering and Technology, Chennai, India. His academic interests include manufacturing technologies, thermal engineering, materials science, and automation. He has contributed to various research publications, technical workshops, and departmental development initiatives. K. S. Vigneshwaran is committed to fostering practical skills, innovation, and engineering excellence among students. His involvement strengthens the institution's mission of delivering quality mechanical engineering education.

Akmaljon Abdullaev is affiliated with the Department of Information Technology at the Tashkent Institute of Irrigation and Agricultural Mechanization Engineers National Research University, Tashkent, Uzbekistan. His academic interests span information systems, intelligent technologies, software development, and digital transformation in agriculture. He has contributed to several research projects, academic publications, and departmental initiatives. Akmaljon Abdullaev is dedicated to integrating modern IT solutions into engineering and agricultural domains to enhance innovation and efficiency. His work supports the university's mission of advancing technological research and developing skilled IT professionals.